


# Entry Gates Aluminum U-Frame Gates



#### **U-Frame Gate Features**

- Strong Heavy-Duty U-Frame Construction.
- All Gates Welded No Screws.
- Elegant Streamlined Design.
- Meets ASTM Standards for Automatic Gate Openers.
- Eliminates Bracing for Single Gates 12' and Under.
- Heavy Wall Gate Posts.
- Single Gates up to 16' Wide.
- Double Gates up to 32' Wide.
- Verified AAMA 2604-05 Compliant Powder Coated Aluminum Gates Standard.
- Verified AAMA 2605-05 Compliant Powder Coating Upgrade Available.

Front Cover Photo Model 1131R with Designer Arch and Short Picket Option Evergreen with Gold Rings, Quad Finials and Flat Caps 20' Double Gate



### Hundred Series

#### Aluminum Entry U-Frame Gates

	Single U-Frame Gate Width																
		(Gate is times 2 for Double Gate Application)															
			36"	42"	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
	36"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	5/8" x 5/8"	3/4" x 3/4"													
	42"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	5/8" x 5/8"	3/4" x 3/4"													
	48"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	5/8" x 5/8"	3/4" x 3/4"													
	54"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
占		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
<u>(e</u>		Rail Size	1.125" x 1"	1.5" x 1.5"													
Gate Height		Picket Size	5/8" x 5/8"	3/4" x 3/4"													
ıte	60"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
Ŝ		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	5/8" x 5/8"	3/4" x 3/4"													
	72"	Post Size	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	2"/2.5"*	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	5/8" x 5/8"	3/4" x 3/4"													
	84"	Post Size	2.5"	2.5"	2.5"	2.5"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"										
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	3/4" x 3/4"														
	96"	Post Size	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"											
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
Otto	land (	Picket Size	1" x 1"														
Stanc	ard (	Gate Sizes a	ire in ligh	it yellow	boxes.	2 post v	with gate	post stiffe	ener stan	uard or o	buonai 2.	o post.					



Aluminum Entry U-Frame Gates are offered with the standard 2'' post (for Hundred Series), standard  $2^1/_2''$  post (for 1000 and 2000 Series) and upgrades to 4'' and 6'' aluminum posts.

## 1000 Series

### Aluminum Entry U-Frame Gates

		Single U-Frame Gate Width															
									is times 2								
			36"	42"	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
;	36"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	S	Side U-Frame	1.5" x 1.5"	2" x 2"													
	В	3tm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	3/4" x 3/4"														
	42"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	S	ide U-Frame	1.5" x 1.5"	2" x 2"													
	В	3tm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	3/4" x 3/4"														
	48"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	S	Side U-Frame	1.5" x 1.5"	2" x 2"													
	В	8tm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	3/4" x 3/4"														
	54"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
+	S	Side U-Frame	1.5" x 1.5"	2" x 2"													
gh	В	8tm U-Frame	1.5" x 3"	1.5" x 5.5"													
<u>Θ</u>		Rail Size	1.125" x 1"	1.5" x 1.5"													
Gate Height		Picket Size	3/4" x 3/4"														
ate	60"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
Ğ		Side U-Frame	1.5" x 1.5"	2" x 2"													
	В	3tm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	3/4" x 3/4"														
	72"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
	В	3tm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	3/4" x 3/4"														
	_	Post Size	2.5"	2.5"	2.5"	2.5"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"										
	В	Stm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
		Picket Size	3/4" x 3/4"														
96	_	Post Size	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"											
	L <sub>B</sub>	8tm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.125" x 1"	1.5" x 1.5"													
Ctorol		Picket Size	1" x 1"														
Stand	ara Gai	te Sizes a	re in ligh	t yellow l	ooxes.	l											

The Heavy-Duty Gate Hardware can be powder coated in any of our standard colors or in the same color to match your gate.



Heavy-Duty Powder Coated Gate Hardware is available for all Aluminum Entry U-Frame Gates.

# 2000 Series

### Aluminum Entry U-Frame Gates

		Single U-Frame Gate Width															
											Gate Applic						
			36"	42"	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
36	36"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	42"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	48"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	54"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
_		Side U-Frame	1.5" x 1.5"	2" x 2"													
붉		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
eić		Rail Size	1.5" x 1.5"														
I		Picket Size	1" x 1"														
Gate Height	60"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
S S		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	72"	Post Size	2.5"	2.5"	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	2" x 2"													
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	84"	Post Size	2.5"	2.5"	2.5"	2.5"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"										
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
	96"	Post Size	2.5"	2.5"	2.5"	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
		Side U-Frame	1.5" x 1.5"	1.5" x 1.5"	1.5" x 1.5"	2" x 2"											
		Btm U-Frame	1.5" x 3"	1.5" x 5.5"													
		Rail Size	1.5" x 1.5"														
		Picket Size	1" x 1"														
Stand	dard (	Gate Sizes a	are in ligi	nt yellow	boxes.												

The Spear is standard with an option of a Quad or Triad finial. The Quad and Triad finials can either be the same color as your gate or powder coated with the Gold option.



### Aluminum Walk Gates

Standard and U-Frame Gates



#### Standard Walk Gate Features

- Available: "Standard" and "Perfect-Fit" Styles.
- Single Gates: 36", 42", 48", 60" and 72".
- Double Gates: 72", 84", 96", 120" and 144".
- Bracing used on single gates over 48" wide and double gates over 96" wide.



#### U-Frame Walk Gate Features

- Standard "U-Frame" Gates.
- Single Gates: 36", 42", 48", 60" and 72".
- Double Gates: 72", 84", 96", 120" and 144".
- No Bracing Required with "U-Frame" Gates.

### Colors

Standard Colors Shown Below - Custom Colors Available













Satin Black

**DSI 106** Black Fine Texture

**DSI 103** Metallic Bronze

**DSI 107** Metallic Bronze Fine Texture

**DSI 111** Evergreen

**DSI 104** Gloss Beige

**DSI 102** Gloss White

**DSI 110** Gold Option

Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors



POWDER COATED Dynamic • Solutions • Innovation



Manufacturer of Verified Components

Manufacturing Plants: • Bremen, IN • Randleman, NC • Sarcoxie, MO • Valdosta, GA





1024 E. Kearney St., Springfield, MO 65803 866-931-5002 info@mmcva.com