



GREEN SERIES
AFFORDABLE LIFETIME BEAUTY
VIRTUALLY MAINTENANCE-FREE



TRI-MAX Privacy & TRI-MAX With Spindle Topper



TRI-MAX Privacy Tongue and Groove - Green Series with Flat Caps

- Heights: 48", 60", 72", 84", 96"
- Width: 96" Centers
- 7° Rackable Panel Standard
- Vinyl Post Size: 5"x 5" (.130" Wall) Vinyl Post Standard
- Flat Caps Standard (Ball & Gothic Optional)
- Side Channels for Sections Included
- Colors: White & Tan




Aluminum Reinforced Frame

Green Series Construction



- Interlocking Fastener
- Green Series Construction



Standard Gates

- Single Widths: 36", 42", 48", 60"
- Double Widths: 72", 84", 96", 120"
- 5" Aluminum Post Stiffeners: Gate Posts
- Wider Aluminum Frame Gates Available

Convex Gates

- Single Widths: 48", 60"
- Double Widths: 96", 120"
- 5" Aluminum Post Stiffeners: Gate Posts

TRI-MAX With Spindle Topper Tongue and Groove - Green Series with Spindle Toppers

- Heights: 60", 72", 84"
- Width: 96" Centers
- 7° Rackable Panel Standard
- Vinyl Post Size: 5"x 5" (.130" Wall) Standard
- Flat Caps Standard (Ball & Gothic Optional)
- Side Channels for Sections Included
- Colors: White & Tan



- I-Beam Reinforcement
Prevents Sagging



- Racks 12" in 8' Standard



Standard Gates

- Single Widths: 36", 42", 48", 60"
- Double Widths: 72", 84", 96", 120"
- 5" Aluminum Post Stiffeners: Gate Posts
- Aluminum Reinforced Frame
- Wider Aluminum Frame Gates Available
- Matching Gates Available
- Colors: White and Tan

GOOD NEIGHBOR Yard & Picket Green Series


GOOD NEIGHBOR Yard Fence - Green Series

- Heights: 36", 42", 50-1/2"
- Width: 96" Centers
- Vinyl Post Size: 4" x 4" (.135" Wall) Standard
- Flat Caps Standard (Gothic Caps Optional)
- Spacing: 3-11/16"
- Aluminum Insert: Bottom Rail
- Matching Gates Available
- Colors: White & Tan

50-1/2" High Fencing Meets BOCA Requirements for Height & Spacing. For some areas, please check local code requirements before ordering.



Hidden Screw
Top Rail Support
Center Picket



A.



B.



A. Bottom Rail H-Channel Aluminum Reinforcement B. Notched Pickets

GOOD NEIGHBOR Picket Fence - Green Series

- Heights: 36", 42", 48"
- Width: 96" Centers
- Vinyl Post Size: 4" x 4" (.135" Wall) Standard
- Flat Caps Standard (Gothic Caps Optional)
- Spacing: 2-15/16"
- Aluminum Insert: Bottom Rail
- Matching Gates Available
- Colors: White & Tan

GOOD NEIGHBOR Concave Picket Fence - Green Series

- Heights: 36", 42", 48"
- Width: 96" Centers
- Vinyl Post Size: 4" x 4" (.135" Wall) Standard
- Flat Caps Standard (Gothic Caps Optional)
- Spacing: 2-15/16"
- Aluminum Insert: Bottom Rail
- Matching Gates Available
- Colors: White & Tan



Standard Gates – Assembled

- Single Widths: 36", 42", 48", 60", 72"
- Double Widths: 72", 84", 96", 120", 144"
- 4" Aluminum Post Stiffeners: Gate Posts
- Aluminum Reinforced Frame
- Wider Aluminum Frame Gates Available

Magna Latch



OR



Lokk Latch Deluxe



Aluminum
Reinforced Frame




Tru-Close Hinge



**TRANSFERABLE
LIFETIME
WARRANTY**

POST & RAIL FENCE - Green Series

Residential



2 RAIL

POST & RAIL - RESIDENTIAL Green Series


- 2-Rail = 36" Height - 10-1/2" Spacing
- 3-Rail = 48" & 52" Heights - 10-1/2" Spacing
- 4-Rail = 52" Height - 6-1/2" Spacing
- Vinyl Post Size 5" x 5" (.130" Wall) Standard
- Width: 96" Centers
- Flat Caps Standard (Gothic & Ball Caps Optional)
- Equine (Heavy Duty Frame Optional)
- Colors - White & Tan



3 RAIL



4 RAIL



POST & RAIL GATES - ASSEMBLED Green Series

- Vinyl Single Widths: 4', 6', 8', 10'
- Vinyl Double Widths: 8', 12', 16', 20'
- Vinyl Gate Frame Fully Reinforced with Aluminum
- Aluminum Single Widths: 4', 6', 8', 10', 12', 16'
- Aluminum Double Widths: 8', 12', 16', 20', 24', 32'
- Double Gates With Removable Center Post
- 5" Aluminum Post Stiffeners: Gate Posts
- Stainless Steel Powder Coated Hardware and Fasteners
- Matching Gates Available
- Colors - White & Tan



Quality Products By:



SOLD BY:
MMCV Vinyl-Aluminum
Fencing & Railing

1024 E. Kearney St., Springfield, MO 65803

866-931-5002 info@mmcva.com

www.mmcva.com