

Railing for the good life.





Transferable Lifetime Limited Warranty • Virtually Maintenance Free



Welcome

Whether you are looking to make your home impressive, exquisite, or distinctive, PolyRail® Vinyl Railing was designed with these elements in mind. PolyRail® Vinyl Railing also offers you a comfortable feel with a traditional look. Featuring a range of styles, colors, and applications to enhance your vision, just imagine the possibilities. After all, your home is your masterpiece.

Vinyl Golors

nese standard vinyl colors are available in all styles.







Aluminum Spindle Golors

Verified AAMA 2604-10 Compliant Powder Coating. Upgrade to optional AAMA 2605-11 powder coating available. Custom colors available. These standard aluminum spindle colors are available in all aluminum spindle styles except Eagle.



Colors shown are a close representation of the true color. Please consult actual samples for accurate colors.

* 15% upcharge applies to Silver with minimum order



- Style: Cardinal Color: White
- Style: Falcon "A" Series Color: White
- Style: Falcon "B" Series

Color: White Vinyl with Black Fine Texture Spindles

Style: Raven "A" Series Cover Color: White

Back Style: Falcon "A" Series

Color: Tan

Table of Contents

Falcon	4-5
Raven	6-7
Cardinal	8-9
Eagle	10-11
T-Bird	12-13
Posts	14-15
Caps & Flairs	16
Rail Mounts	17
Continuous Handrail	18-19

3

Made in the USA www.polyrail.com



Falcon Specifications

Railing Heights: 36", 42" Railing Lengths: 4', 5', 6', 7', 8', 9', 10'

(rail support included with 8′, 9′, 10′) Stair Rail Lengths: 4′, 5′, 6′, 7′, 8′, 9′, 10′ Standard Vinyl Spindle: $1\,^3/8''$ x $1\,^3/8''$ "A" Series Vinyl Spindle: $1\,^3/8''$ x $1\,^3/8''$ (42″ "A" Series Spindles are Aluminum Reinforced)

Vinyl Spindle Spacing: 3 1/2"

"B" Series Aluminum Spindle: 3/4" Round

Aluminum Spindle Spacing: 3 7/8"

Crossover Railing (optional): Standard Spindles,

"A" Series Spindles, "B" Series Spindles

Crossover Lengths: 10', 12', 14', 16'

(2 rail supports included with 16')

Crossover Stair Railing: Not Available

Chippendale Railing (optional): Standard Spindles Single Chippendale Lengths: 4', 5', 6', 7', 8', 9', 10'

(rail support included with 8′, 9′, 10′)

Double Chippendale Lengths: 7', 8', 9', 10'

(rail support included with 8', 9', 10')

Chippendale Stair Railing: Not Available

Compliance: ICC-ES ESR-1324 (Up to 8' sections complies with IBC & IRC)



Top Rail with Aluminum Reinforcement



Bottom Rail with Aluminum Reinforcement





Standard Spindles Shown w/Flat Caps



"B" Series Spindles Shown w/Trim Caps



"B" Series Standard "A" Series

Falcon Spindles

1 Style: Falcon "B" Series Color: White Vinyl with Black Fine Texture Spindles

2 Style: Falcon Color: White

➤ Style: Falcon "A" Series Color: White















Bottom Rail with Aluminum Reinforcement

Raven Specifications

Railing Heights: 36", 42"
Railing Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 7', 8', 9', 10')

Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10' Standard Vinyl Spindle: 7/8" x 1 1/2" "A" Series Vinyl Spindle: $^{7}/8$ " \times 1 $^{1}/2$ " $^{(42")}$ "A" Series spindles reinforced with aluminum)

Vinyl Spindle Spacing: 2 7/8"

"B" Series Aluminum Spindle: 3/4" Round

Aluminum Spindle Spacing: 3 7/8"

Crossover Railing (optional): Standard Spindles,

"A" Series Spindles, "B" Series Spindles

Crossover Lengths: 10′, 12′, 14′, 16′ (2 rail supports included with 14′ and 16′)

Crossover Stair Railing: Not Available Compliance: ICC-ES ESR-1324 (Up to 7' sections complies with IBC & IRC)

1 Style: Raven "A" Series Color: White

2 Style: Raven "B" Series Color: Tan Vinyl with Black Fine Texture Spindles

3 Style: Raven Crossover Color: Tan

✓ Style: Raven Color: Tan



Standard "A" Series "B" Series Raven Spindles

7



Gardinal Specifications

Railing Heights: 36", 42"

Railing Lengths: 4', 5', 6', 7', 8', 9', 10'

(rail support included with 8', 9', 10')

Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10' Standard Vinyl Spindle: 7/8" x 1 1/2"

"A" Series Vinyl Spindle: $^{7}/_{8}$ " x 1 $^{1}/_{2}$ " (42" "A" Series spindles reinforced with aluminum)

Vinyl Spindle Spacing: 2 7/8"

"B" Series Aluminum Spindle: 3/4" Round

Aluminum Spindle Spacing: 3 7/8"

Crossover Railing (optional): Standard Spindles,

"A" Series Spindles,
"B" Series Spindles

Crossover Lengths: 10', 12', 14', 16'

(2 rail supports included with 16')

Crossover Stair Railing: Not Available

Chippendale Railing (optional): Standard Spindles Single Chippendale Lengths: 4', 5', 6', 7', 8', 9', 10'

(rail support included with 8', 9', 10')

Double Chippendale Lengths: 7', 8', 9', 10'

(rail support included with 8', 9', 10')

Chippendale Stair Railing: Not Available



Top Rail with Aluminum Reinforcement



Bottom Rail with Aluminum Reinforcement



Standard "A" Series "B" Series Cardinal Spindles

- 1 Style: Cardinal "B" Series Color: Tan Vinyl with Speckled Walnut Spindles
- 2 Style: Cardinal Crossover Color: Tan
- 3 Style: Cardinal Double Chippendale Color: White
- Style: Cardinal "A" Series Color: White
- Style: Cardinal Color: White

8 www.polyrail.com Made in the USA











Top Rail with Aluminum Reinforcement



Bottom Rail with Aluminum Reinforcement

- 1 Style: Eagle Color: White
- 2 Style: Eagle Crossover Color: Tan
- 3 Style: Eagle Color: White
- Color: White



Eagle Specifications

Railing Heights: 36", 42"

Railing Lengths: 4′, 5′, 6′, 7′, 8′, 9′, 10′ (rail support included with 7′, 8′, 9′, 10′)

Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10'

Vinyl Spindle: 1" x 1"

(42" is Aluminum Reinforced)

Vinyl Spindle Spacing: 2 7/8"

Crossover Railing (optional): Standard Spindles


Crossover Lengths: 10′, 12′, 14′, 16′ (2 rail supports included with 14′ and 16′)

Crossover Stair Railing: Not Available

Compliance: ICC-ES Legacy Report (No. 21-42, Tested up to

7' sections)

Eagle Spindles



T-Bird Specifications

Railing Heights: 36", 42"
Railing Lengths: 4', 5', 6', 7', 8', 9', 10'
(rail support included with 8', 9', 10')

Stair Rail Lengths: 4', 5', 6', 7', 8', 9', 10' Standard Vinyl Spindle: 1 3/8" x 1 3/8" "A" Series Vinyl Spindle: 1 $^3/\mathrm{s}"$ x 1 $^3/\mathrm{s}"$

(42" "A" Series Spindles are Aluminum Reinforced)

Vinyl Spindle Spacing: 3 1/2"

"B" Series Aluminum Spindle: 3/4" Round

Aluminum Spindle Spacing: 3 7/8"

Crossover Railing (optional): Standard Spindles,

"A" Series Spindles,

"B" Series Spindles

Crossover Lengths: 10', 12', 14', 16'


(2 rail supports included with 16')

Crossover Stair Railing: Not Available

Chippendale Railing (optional): Standard Spindles Single Chippendale Lengths: 4′, 5′, 6′, 7′, 8′, 9′, 10′ (rail support included with 8′, 9′, 10′)

Double Chippendale Lengths: 7', 8', 9', 10'

(rail support included with 8', 9', 10')





Top Rail with Aluminum Reinforcement



Bottom Rail with Aluminum Reinforcement



T-Bird Spindles



- 1 Style: T-Bird "B" Series
 - Color: Tan Vinyl with Satin Black Spindles
- 2 Style: T-Bird Color: White
- Style: T-Bird Color: Tan
- > Style: T-Bird Color: Tan



Vinyl Lorch Losts







5" Square Posts are Reinforced by Sturdy Corrugated Aluminum



5" Top & Bottom Hurricane Mount for Square Support Post



4" Top & Bottom Post Mount Plates



"A" Series and Victoriar Support Posts are Reinforced by Sturdy



5" Top & Bottom Hurricane Mounts are Tested for High Wind Loads for 5" "A" Series Post



5" Top & Bottom Post Mount Plates



Vinyl Porch Posts Specifications

	4" Post Sleeve	4" "A" Series Post	5" Post Sleeve	5" Support Post	5" "A" Series Post	5" Victorian Post	6" Post Sleeve
Heights	38", 44", 48", 8', 9', 10'	9′	38", 44", 48", 54", 8', 9', 10'	8′, 9′, 10′	9′, 10′	9'	38", 44", 48", 54", 10'
Load Capacity	Non-Load Bearing w/o Wood Post	3,900 lb.	Non-Load Bearing w/o Wood Post	8' = 12,000 lb.	9' = 8,400 lb.	9' = 8,400 lb.	Non-Load Bearing w/o Wood Post

Column Clad Lost Wraps

The Wood Post Supplies Load Capacity



Fluted Column Clad Ratchets to Lock Together



The Beautiful Vinyl Cladding Will Last for Years.



Smooth Column Clad Ratchets to Lock Together



Smooth Column Clad Wraps Over the Wood Post - No Screws Needed



Smooth



2 Style: Cardinal Color: Tan

Fluted	Smooth		
Column Clad	Column Clad		
4", 6", 8" (Special Order)	4", 6"		
Non-Load Bearing	Non-Load Bearing		
w/o Wood Post	w/o Wood Post		



Adjustable Aluminum Post Mounts

The Adjustable Aluminum Post Mounts can mount on wood, concrete, vinyl, and composite. The Heavy-Duty Aluminum Post Mount complies with IBC and IRC (ICC-ES ESR-1324).



Powder coated base plates resist corrosion and ACQ wood treatment.



Angle Adjustment Leveling Bolts



Heavy-Duty

The Adjustable Aluminum Post Mounts used with Post Sleeves and "A" Series Newel Posts.



4" Post Sleeve



4" "A" Series Newel Post (Available in 38", 44", 48", 52")

www.polyrail.com

Vinyl Lost Caps



Flat Cap 4", 5", 6"



Ball Cap 4", 5"

Gothic Cap 4", 5"



Trim Cap 4", 5"



Vinyl Lost Flairs



4" Snap Lock Flair (1-piece)



4" Flair (2-piece)



6" Decorative Flair (1-piece)



5" Flair (1-piece) Use w/Square Support Posts



5" Decorative Flair (4-piece) Use w/Decorative Support Posts




Fluted Column Clad Flair (4-peice)



Smooth Column Clad Flair (4-piece)

Hidden Screw Rail Mounts

Eagle/Raven T-Bird Top Rail Mount Top Rail Mount **Bottom Rail Mount** Bottom Rail Mount Top Stair Mount Top Stair Mount (factory pre-cut) Top Stair/Angle Mount **Bottom Stair Mount** Top/Bottom Angle Bottom Stair/Angle Mount Mount Top 45° Mount (factory pre-cut) Top 45° Mount Bottom 45° Mount Bottom 45° Mount (factory pre-cut)





Top/Bottom Angle

Mount

3 Style: Falcon "A" Series

Round Column Adapters Level Rail Stair Rail



Rail Supports Standard Vinyl "B" Series Aluminum

1 Style: Cardinal

2 Style: Falcon "A" Series Color: White

Color: Tan







ADA Compliant Railing System Includes:

- 1 3/8" Aluminum Rail
- 1/8" Collar Ring (to cover splice)
- Strong Internal Connector
- Continuous 180° Handrail Return
- Tapered 1-piece Wall Return
- Beveled Internal End Cap
- Custom Bend Elbows
- Verified AAMA 2604-10 Compliant Powder Coating
- Lifetime Warranty
- Virtually Maintenance Free





Collar Ring To Cover Splice




Inside Corner Mount



Wall Mount

Aluminum Continuous Handrail Colors





Satin Black DSI 101



Black Fine Texture



Ninety Bronze



Bronze Fine Texture



White Fine Texture



Clay DSI 128







Gloss Beige DSI 104

Sandy Shore DSI 122

Chocolate

Speckled Walnut

DSI 121

Sliver*

DSI 125

Gloss White DSI 102



















Made in the USA

1024 E. Kearney, Springfield, MO 65803 866-931-5002 info@mmcva.com