



MADE IN THE U.S.A. 



CCRR-0163 complies with IBC, IRC, and FBC

# Welcome Home

Home is the foundation that supports the rest of everything in life.






You cherish your home and embrace your family and friends. You work hard to create a place you can spend quality time enjoying your life's journey.

Westbury Aluminum Railing adds a level of beauty, distinction, and lasting value to your home. By selecting the color that fits your home, you are adding beauty. By selecting the design that fits your lifestyle, you are adding distinction. By selecting one of our virtually maintenance-free aluminum railing systems, you are adding lasting value.



























We welcome you home with Westbury Aluminum Railing.



# Welcome Home

## Westbury® Aluminum Railing

### CONTENTS

		Tuscany Series . . . . .	5
		Montego Series . . . . .	7
		Riviera . . . . .	9
		Riviera "R" . . . . .	10
		Riviera I . . . . .	11
		Riviera II . . . . .	13
		Riviera III . . . . .	14
		Riviera IV . . . . .	15
		Veranda . . . . .	17
		Accessories . . . . .	18
		Colors . . . . .	19
		Powder Coating . . . . .	19
		Aluminum Continuous Handrail . . .	20

### \*TESTING RESULTS

CCRR-0163 complies with IBC, IRC, and FBC. The following Westbury Railing Products are included in CCRR-0163; C10, C30, C30R, C31, C32, C33, C34, C70 and 2-1/2" Power Post.

*Note: Please check with local code authorities for requirements.*

- |   |   |
|---|---|
| A Style: Tuscan<br>Color: Bronze Fine Texture           | B Style: Montego<br>Color: Black Fine Texture |
| C Style: Riviera<br>Color: Bronze Fine Texture          | D Style: Veranda<br>Color: Satin Black        |
| E Style: Montego (Special 3-Rail)<br>Color: Satin Black |   |





## Style C10\*

From the stylish top rail to the classic bottom rail to the ideal 3/4" square spindles, Style C10 compliments the most distinguished decks and patios.



## Style C101

If you prefer a more open viewing area with the classic look of spindles, Style C101 does just that. The 3/4" round spindles leave an airy feeling while maintaining the security of an enclosed railing.

- |   |   |
|---|---|
| A Style: C101<br>Color: Black Fine<br>Texture | B Style: C10<br>Color: Bronze<br>Fine Texture                                     |
| C Style: C10<br>Color: Bronze<br>Fine Texture | D Style: C10<br>With Stair<br>Crossover<br>Posts<br>Color: Bronze<br>Fine Texture |

\*CCRR-0163 complies with IBC, IRC, and FBC

# Tuscany



## SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6', 7', 8'
- Stair Rail Lengths: 3', 4', 5', 6', 7', 8'
- C10 Spindle: 3/4" x 3/4" x (.053" wall)
- C101 Spindle: 3/4" Round (.060" wall)
- Spindle Spacing: 3.875"
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top and Bottom Rails)
- Bottom Rail Support: 7', 8'

NOTE: Spindle end spacing may vary by length.  
All sections do not come out even on each end as shown above.



Top Rail Profile


A stylish 1-3/4" x 1-3/8" top rail combined with the 1-3/4" x 1-1/4" classic bottom rail creates a streamlined design sure to appeal to those with a touch of class.



Bottom Rail Profile

## Styles C10\* & C101

The Tuscany Series adds a touch of class with classic 2-rail designs. These designs are accented with a stylish top rail and 3/4" square or round spindles along with a variety of satin, textured, and multi-colored finishes, and a lifetime limited warranty. Featuring classic designs to warm your heart as you are greeted home.




E Style: C10 With Level Crossover Post  
Color: Satin Black

F Style: C10 With Level Crossover Post  
Color: Satin Black

G Style: C101 With Level Crossover Post  
Color: Satin Black

\*CCRR-0163 complies with IBC, IRC, and FBC



A Style: Montego (Special 3-Rail) Color: Satin Black  
 B Style: Montego (Special 3-Rail) Color: Satin Black  
 C Style: Montego Color: Satin Black

# Montego

## Style C20

The Montego Series creates an eye-catching design with the curved lines of the architectural balusters and a definitive 2-rail design. You'll want to roll out the red carpet for these luxurious designs.



### SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6', 7', 8'
- Stair Rail Lengths: 3', 4', 5', 6', 7', 8'
- Architectural Baluster: 3/4" x 3/4" x .053" wall
- Architectural Baluster Spacing: 3.875"
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top and Bottom Rails)
- Bottom Rail Support: 7', 8'

NOTE: Baluster end spacing may vary by length.  
All sections do not come out even on each end as shown above.



Top Rail Profile



Bottom Rail Profile

The eye-catching shapes of the rails compliment the contour of the architectural baluster.




D Style: Montego (Special 3 Rail)  
Color: Satin Black




## Style C30\*

With the open top space and 3/4" spindles filling in the bottom area, Style C30 adds a rich presence to your outdoor living space.



## Style C301

For a unique look to fit your personality, Style C301 opens your view by utilizing 3/4" round spindles.



- A Style: C30  
With Level  
Crossover Post  
Color: Satin Black
- B Style: C30  
Color: Satin Black

Note: 7' & 8' Section Center Picket  
Between Mid and Top Rail


- C Style: C30  
Color: Bronze  
Fine Texture
- D Style: C30  
Color: Satin Black

\*CCRR-0163 complies with IBC, IRC, and FBC



# Riviera

## Styles C30\* & C301



C30\*

C301

### SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6', 7', 8'
- Stair Rail Lengths: 3', 4', 5', 6', 7', 8'
- C30 Spindle: 3/4" x 3/4" x (.053" wall)
- C301 Spindle: 3/4" Round (.060" wall)
- Spindle Spacing: 3.875"
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'

NOTE: Spindle end spacing may vary by length.  
 All sections do not come out even on each end as shown above.  
 7' & 8' sections have center support between top and mid rail.  
 All radius sections have mid rail support.



Top Rail Profile




Mid Rail Profile




Bottom Rail Profile


A sleek designed top rail and the esthetically shaped mid and bottom rails create a harmonious appearance.



E



G



F

E Style: C30  
 Color: Bronze  
 Fine Texture

F Style: C30 With Stair  
 Crossover Posts and  
 Special 3-Rail Architectural  
 Balusters Color: Satin Black


G Style: C30  
 Color: Bronze Fine Texture

\*CCRR-0163 complies with IBC, IRC, and FBC

# Riviera "R"

## Styles C30R\* & C301R

Adding rings to the 3-rail design gives it a sophisticated appearance. With an option of Style C30R 3/4" square or Style C301R 3/4" round spindles, you can create your own design to fit your lifestyle.



C30R\*

C301R

### SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6', 7', 8'
- Stair Rail Lengths: 3', 4', 5', 6', 7', 8'
- C30R Spindle: 3/4" x 3/4" x (.053" wall)
- C301R Spindle: 3/4" Round (.060" wall)
- Spindle Spacing: 3.875"
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'

NOTE: Spindle end spacing may vary by length.

All sections do not come out even on each end as shown above.



A



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile

A Style: C30R  
Color: Gloss White


B Style: C301R  
Color: Black Fine Texture



B

\*CCRR-0163 complies with IBC, IRC, and FBC

# Riviera I



C31\*

C311

## SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6', 7', 8'
- Stair Rail Lengths: 3', 4', 5', 6', 7', 8'
- C31 Spindle: 3/4" x 3/4" x (.053" wall)
- C311 Spindle: 3/4" Round (.060" wall)
- Spindle Spacing: 3.875"
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'

NOTE: Spindle end spacing may vary by length.

All sections do not come out even on each end as shown above.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile



A

A Style: C31  
Color: Gloss White

\*CCRR-0163 complies with IBC, IRC, and FBC



### Style C32\*

The unparalleled design of Style C32 is created by the stylish top rail, classic mid and bottom rails, and 3/4" square spindles.

### Style C321

Another option is the smooth feel of Style C321 created by 3/4" round spindles

A Style: C32  
Color: Bronze  
Fine Texture


B Style: C32  
Color: Bronze Fine  
Texture

C Style: C321  
Color: Speckled  
Walnut



\*CCRR-0163 complies with IBC, IRC, and FBC

# Riviera II



C32\*

C321

## SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6', 7', 8'
- Stair Rail Lengths: 3', 4', 5', 6', 7', 8'
- C32 Spindle: 3/4" x 3/4" x (.053" wall)
- C321 Spindle: 3/4" Round (.060" wall)
- Spindle Spacing: 3.875"
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'

NOTE: Spindle end spacing may vary by length.

All sections do not come out even on each end as shown above.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile




D Style: C32  
Color: Gloss White

\*CCRR-0163 complies with IBC, IRC, and FBC

# Riviera III

## Styles C33\* & C331

Riviera III Series encompasses the 3-rail design with a unique top design. This design places every third spindle in the top section while the bottom section contains spindles within the entire section. Style C33 is created with 3/4" square spindles. Style C331 captures a different feel with 3/4" round spindles.



C33\*

C331

### SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6', 7', 8'
- Stair Rail Lengths: 3', 4', 5', 6', 7', 8'
- C33 Spindle: 3/4" x 3/4" x (.053" wall)
- C331 Spindle: 3/4" Round (.060" wall)
- Spindle Spacing: 3.875"
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'

NOTE: Spindle end spacing may vary by length.  
All sections do not come out even on each end as shown above.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile



A

A Style: C33  
Color: Satin Black


B Style: C33  
Color: Satin Black



B

\*CCRR-0163 complies with IBC, IRC, and FBC

# Riviera IV



C34\*

C341

## SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6', 7', 8'
- Stair Rail Lengths: 3', 4', 5', 6', 7', 8'
- C34 Spindle: 3/4" x 3/4" x (.053" wall)
- C341 Spindle: 3/4" Round (.060" wall)
- Spindle Spacing: 3.875"
- Stylish Top Rail: 1-3/4" w (.090") x 1-3/8" t (.085")
- Mid Rail: 1-3/4" w (.070") x 1-1/4" t (.070")
- Bottom Rail: 1-3/4" w (.090") x 1-1/4" t (.120")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5', 6', 7', 8'

NOTE: Spindle end spacing may vary by length.  
All sections do not come out even on each end as shown above.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile

## Styles C34\* & C341

For a more delicate appearance, the Riviera IV Series takes every fourth spindle to the top rail with a bottom section full of spindles. Style C34 has 3/4" square spindles while Style C341 is complimented with 3/4" round spindles.



C Style: C34  
Color: Satin Black

D Style: C34  
Color: Satin Black

\*CCRR-0163 complies with IBC, IRC, and FBC




- A Style: C70  
Color: Satin Black
- B Style: C70  
Color: Chocolate
- C Style: C70  
Color: Chocolate





# Veranda



## SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 3', 4', 5', 6'
- Stair Rail Lengths: All Stair Rails are Custom Ordered
- Glass Panel: 1/4" Tempered Glass
- Glass Panel Colors: Clear, Bronze, Grey
- Stylish Top Rail: 1-3/4" w (.085") x 1-3/8" t (.085")
- Bottom Rail: 1-3/4" w (.085") x 1-1/4" t (.085")
- EPDM Gasket: Top and Bottom Rails

NOTE: Glass end spacing may vary if rails are cut down.  
All sections do not come out even on each end as shown above.



Top Rail Profile



Top Rail Profile



Bottom Rail Profile

The stylish top rail and classic bottom rail securely hold glass panels in place.

## Style C70\*

The Veranda Series creates a phenomenal viewing area. The crystal clear design incorporates full glass panels into the classic 2-rail design. Whether you have a view of land or water, the Veranda Series gives you an open concept with the security of a full railing sections.



D Style: C70 With Level and Corner Crossover Posts  
Color: Speckled Walnut

E Style: C70 With Level and Corner Crossover Posts  
Color: Speckled Walnut

\*CCRR-0163 complies with IBC, IRC, and FBC

# Accessories


## Brackets, Posts, Welded Corner, Caps, Flairs

The finishing touch to your masterpiece... accessories. A variety of post sizes and wall thickness add strength, standard brackets combined with swivel mounts solving many unique scenarios, an option of post caps for a variety of looks finished off by the convenience of 2-piece and 1-piece post flairs create the Westbury Aluminum Railing accessories.

## Posts



2" Post (.090" wall)




2-1/2" Power Post\* (.125" wall)



4" & 6" Deco Post

## Accessories



2", 2-1/2" Post Flair (2-piece)



4" Post Flair (2-piece), 6" Post Flair (1-piece)



Welded Corner



Flat Cap (2", 2-1/2", 4", 6")



Ball Cap (2", 2-1/2", 4")



Rail Support

## Crossovers



Corner Crossover Post



Stair Crossover Post



Level Crossover Post

## Brackets



Wall & Angle Swivel Mounts



Stair Mounts




Stair Swivel Mounts




Top and Bottom Double Swivel Stair Mount




Satin Black




Black Fine Texture



Ninety Bronze



Bronze Fine Texture



Gloss Beige




Gloss White




White Fine Texture



Clay



Speckled Walnut



Sandy Shore



Chocolate



Silver

# Colors

## Standard Colors & Custom Colors

A variety of standard colors combined with the option of custom colors to compliment your home. From satin colors to textured colors to multi-colors, the possibilities are endless.

**Note: 15% Upcharge for Silver with a minimum order.**

Powder Coating



Verified AAMA 2604-05  
Compliant Powder Coating

## AAMA 2604 & AAMA 2605

Westbury Aluminum Railing powder coating is an uncompromising quality created by state-of-the-art technology. This is the highest quality powder coating on the market with a lifetime-limited warranty giving you peace of mind in your investment.



A Style: C10  
Color: Black Fine Texture  
With Level Crossover Post

### \*TESTING RESULTS

CCRR-0163 complies with IBC, IRC, and FBC. The following Westbury Railing Products are included in CCRR-0163; C10, C30, C30R, C31, C32, C33, C34, C70 and 2-1/2" Power Post.

*Note: Please check with local code authorities for requirements.*

# CHR

**Continuous Handrail**  
**ALUMINUM**


## Aluminum Continuous Handrail

### ADA Compliant Handrail

The Continuous Handrail is ADA compliant. It has a variety of rail lengths and accessories to complete this system.



**Collar Ring**  
(to cover splice)



**Inside Corner Mount**  
(attaches to post)



**Wall Mount**

**ADA COMPLIANT RAILING SYSTEM INCLUDES:**

- 1-3/8" Aluminum Rail (8', 10', 16') (1-1/2" w/collar)
- 1/8" Collar Ring (to cover splice)
- Strong Internal Connector
- Continuous 180° Handrail Return
- Tapered 1-piece Wall Return
- Beveled Internal End Cap
- Verified AAMA 2604-05 Compliant Powder Coating
- Available in all the standard and custom colors shown on page 19
- Lifetime Limited Warranty
- Virtually Maintenance Free



**90° Welded Elbow**  
(Aluminum)



**1 3/8" Handrail**  
(Aluminum)



**Internal Connector**  
(aluminum)





**1/8" Collar Rings**  
(to cover splice)



**Handrail Return**  
(180° Elbow)



**Wall Return**



**Handrail Elbows**  
(5°, 31°, 34° and 36° Elbows)



**Handrail Elbow**  
(90° Elbow)



**Inside Corner Mount**  
(attaches to post)



**Internal End Cap**



**Wall Mount**



1024 E. Kearney St. Springfield, MO 65803  
866-931-5002 info@mmcva.com  
www.mmcva.com



Made in the U.S.A.

We have tried to make this catalog comprehensive and factual. We reserve the right to discontinue at any time, without notice, colors, materials, equipment and availability. Since some information may have been updated since the time of printing, we are not responsible for typographical or pictorial errors. Materials shown may vary slightly from actual colors. ©Digger Specialties 2012 SP 10/12 99519