



## DYNAMIC SOLUTIONS INNOVATION

Since 1984 Digger Specialties, Inc. (DSI) has been manufacturing quality products for the fence and building products industry.

At DSI we are continually working to provide solutions through innovative product development and design to bring the best products to our customers, the marketplace and the home owner.

Our Courtyard® Aluminum fence provides elegance and beauty for residential, commercial and industrial needs. This premium line of fence also provides a great investment in your home or business.



Digger Specialties, Inc. is proud to offer one of the strongest warranties in the industry. Our Courtyard® Aluminum Fence is covered by a Lifetime Limited Warranty. Our Lifetime Limited Warranty demonstrates our faith in our products and our commitment to you.

Visit diggerspecialties.com to view and register your Courtyard® Aluminum Fence warranty.



Digger Specialties, Inc. is proud to be an American company manufacturing quality American made products at our plants in Indiana, North Carolina, Georgia, and Missouri.



## COMMITTED TO THE ENVIRONMENT AND OUR COMMUNITY

DSI is proud to be an environmentally aware company that continues to update our practices to reduce our carbon footprint. DSI consistently recycles our cardboard, wood, steel banding, zinc die cast, and heat shrink scrap. DSI also utilizes both aluminum and vinyl extrusions that contain recycled content.

DSI is pleased to support our community by outsourcing a portion of our packaging functions to a local company that provides meaningful employment to individuals with disabilities.




# TABLE OF CONTENTS

| Features & Benefits               | 2     |
|-----------------------------------|-------|
| Specifications                    | 3     |
| Colors and Powder Coating Process | 4     |
| Arched Picket Top                 | 5     |
| Spear Top                         | 6-7   |
| Alternating Spear Top             | 8     |
| Flat Top Alternating Spear        | 9     |
| Flat Top                          | 10-11 |
| Gates and Hardware                | 12-14 |
| Accessories                       | 15    |
| Options                           | 16    |
| Specialties                       | 17    |

## **FEATURES & BENEFITS**

## **Hidden E-Clip & Hidden Rail Locks**

Our patented Hidden Picket Fasteners and Hidden Rail Locks eliminate scratches and unsightly screws.







E-Clip

Hundred Series 1000 Series





Patent #US 7.152.849 B2. Patent #US 7.134.647 B2

#### **Welded Gates**

CourtYard® Aluminum Gate rails and pickets are welded at each connection for added strength and durability.




## **High Strength & Quality Aluminum Alloy**

6063-T6 Posts & Rails 6063-T52 Speared Pickets 6063-T6 Non-Speared Pickets



## **Assembled Sections**

CourtYard® Aluminum Fence sections come factory assembled for quick installation.





#### **Pool Code Approved**



CourtYard® Aluminum Fencing combines safety with style. Fence models marked with this symbol comply with ASTM F2409 and F1908 for height and spacing. Check with your local building code officials as local codes may differ.

## **Puppy Picket Option (Short Picket Option)**



CourtYard® Aluminum Fencing offers pet owners peace of mind. Fence models marked with this symbol are available with optional puppy pickets (short picket option). These added pickets help keep small animals in or out of your yard. For more information see Page 16.

## 1 1

## **SPECIFICATIONS**



|   | HUNDRED SERIES  | 1000 SERIES   | 2000 SERIES  |
|---|---|---|--|
| Suggested<br>Use                            | Residential Applications  | Premium Residential &<br>Commercial Applications  | Industrial Applications  |
| Section<br>Width                            | 6' Centers<br>Per Foot/Inch Sections<br>available from 24" to 72"                           | 6' Centers<br>Per Foot/Inch Sections<br>available from 24" to 72"   | 8' Centers<br>Per Foot/Inch Sections<br>available from 24" to 96"  |
| Rails                                       | 1" H (.085") x 1-1/8" W (.065")   | 1" H (.085") x 1-1/8" W (.065")   | 1-1/2" H (.100") x 1-1/2" W (.070")  |
| Spear/Finial<br>Pickets                     | 5/8" x 5/8" (.045")   | 3/4" x 3/4" (.053")   | 1" x 1" (.065")  |
| Non-Spear/<br>Finial<br>Pickets             | 5/8" x 5/8" (.045")   | 3/4" x 3/4" (.045")   | 1" x 1" (.065")  |
| Picket<br>Spacing                           | 3.792" Between Pickets  | 3.65" Between Pickets   | 3.75" Between Pickets  |
|   | Standard Sections<br>Rack 20" in 6'   | Standard Sections<br>Rack 20" in 6'   | Standard Sections<br>Rack 17" in 8'  |
| Section                                     | Double Punch Sections<br>Rack 40" in 6'   | Double Punch Sections<br>Rack 35" in 6'   | Double Punch Sections<br>Rack 26" in 8'  |
| Racking                                     | Sections with Rings<br>Rack 10" in 6'   | Sections with Rings<br>Rack 10" in 6'   | Sections with Rings<br>Rack 10" in 8'  |
|   | Double Punch not available for Sections with Rings  | Double Punch not available for Sections with Rings  | Double Punch not available for Sections with Rings   |
| Posts                                       | 2" x 2" (.060")<br>2" x 2" (.090")<br>2" x 2" (.125")<br>4" x 4" (.125")<br>6" x 6" (.185") | 2-1/2" x 2-1/2" (.065")<br>2-1/2" x 2-1/2" (.090")<br>2-1/2" x 2-1/2" (.125")<br>4" x 4" (.125")<br>6" x 6" (.185") | 2-1/2" x 2-1/2" (.090") 48"-72"<br>Heights Only<br>2-1/2" x 2-1/2" (.125")<br>4" x 4" (.125")<br>6" x 6" (.185") |
| Standard<br>Single Gate<br>Opening<br>Sizes | 36", 42", 48", 60", 72"   | 36", 42", 48", 60", 72"   | 36", 42", 48", 60", 72"  |

## COLORS & POWDER COATING PROCESS

## **ALUMINUM COLORS**

DSI Aluminum Products are offered in 12 standard AAMA 2604 colors. Custom colors and AAMA 2605 colors are available by special order.

Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors.



## **OPTIONAL COLOR**

Select CourtYard® accessories are available in an optional Gold Accent color. See pages 15 and 16 for more information on the items available.



## **EXCLUSIVE DSI POWDER COATING PROCESS**

DSI's aluminum Powder Coating offers an uncompromising quality created by state-of-the-art technology. Our system provides the highest quality powder coating on the market with a lifetime limited warranty giving you peace of mind in your investment.




The raw premiumgrade aluminum is inspected to be free of blemishes and is not exposed to the outdoor elements.



The product enters a heated acidic cleaning stage to remove extrusion debris and fabrication oils.



**Clean:** City water rinse **Cleaner:** Recycling reverse osmosis water rinse






A 200 MPH air blast removes water drops from the pre-treated aluminum. A convection oven completes the dryoff process.



Powder is applied with 18 automated and 2 manual spray guns. Compressed process air is dried to -35°F Dew Point for superior adhesion.




The powder coating is then bonded and adhered to the aluminum substraight in a 400 degree cure stage.



Recognized by the curved design, Arched Picket Top is a great decorative fence for landscaped and garden areas. With spear point, quad finial, and triad finial options, this fence is sure to accent any yard.

## **ARCHED PICKET TOP STYLE**

## 2-Rail



Sections Do Not Rack

## Height

| Style | 36" | 42" | 48" |
|-------|-----|-----|-----|
| 0124  | •   | •   | •   |
| 1124  | •   | •   | •   |





# SPEAR TOP

Spear Top offers pressed point pickets with optional finials - Quad and Triad. This traditional fence style is a great addition to any yard, commercial, or industrial property. Spear Top offers multiple options for defining your space by adding Rings or Concave and Convex Styles.



## **SPEAR TOP STYLES**




 Height

 Style
 36"
 42"
 48"
 54"
 60"
 72"


 0131
 •
 •
 •
 •
 •

 1131
 •
 •
 •
 •
 •

 2131
 •
 •
 •
 •
 •



|       | Height |     |     |     |     |     |  |
|-------|--------|-----|-----|-----|-----|-----|--|
| Style | 36"    | 42" | 48" | 54" | 60" | 72" |  |
| 0131R | •      | •   | •   |     | •   |     |  |
| 1131R | •      | •   | •   |     | •   | •   |  |
| 2131R |        |     | •   | •   | •   | •   |  |



|       | Height |     |     |  |  |
|-------|--------|-----|-----|--|--|
| Style | 72"    | 84" | 96" |  |  |
| 0141  | •      |     |     |  |  |
| 2141  |        | •   | •   |  |  |




|       | Height |     |     |  |  |  |
|-------|--------|-----|-----|--|--|--|
| Style | 72"    | 84" | 96" |  |  |  |
| 0141R | •      |     |     |  |  |  |
| 2141R |        | •   | •   |  |  |  |

#### **3-Rail Concave**



|                 | Height |     |     |     |     |     |  |
|-----------------|--------|-----|-----|-----|-----|-----|--|
| Style           | 36"    | 42" | 48" | 54" | 60" | 72" |  |
| 0131<br>concave | •      | •   | •   |     | •   |     |  |
| 1131<br>concave | •      | •   | •   |     | •   | •   |  |
| 2131<br>concave |        |     | •   | •   | •   | •   |  |





|                  |     |     | Hei | ght |     |     |
|------------------|-----|-----|-----|-----|-----|-----|
| Style            | 36" | 42" | 48" | 54" | 60" | 72" |
| 0131R<br>concave | •   | •   | •   |     | •   |     |
| 1131R<br>concave | •   | •   | •   |     | •   | •   |
| 2131R<br>concave |     |     | •   | •   | •   | •   |

**4-Rail Concave** 




|                 | Н   | eigl | ht  |
|-----------------|-----|------|-----|
| Style           | 72" | 84"  | 96" |
| 0141<br>concave | •   |      |     |
| 2141<br>concave |     | •    | •   |

4-Rail Concave w/Rings



|                  | Н   | eigl | nt  |
|------------------|-----|------|-----|
| Style            | 72" | 84"  | 96" |
| 0141R<br>concave | •   |      |     |
| 2141R<br>concave |     | •    | •   |

## **3-Rail Convex**



|                |     | Height |     |     |     |     |  |  |
|----------------|-----|--------|-----|-----|-----|-----|--|--|
| Style          | 36" | 42"    | 48" | 54" | 60" | 72" |  |  |
| 0131<br>convex | •   | •      | •   |     | •   |     |  |  |
| 1131<br>convex | •   | •      | •   |     | •   | •   |  |  |
| 2131<br>convex |     |        | •   | •   | •   | •   |  |  |

3-Rail Convex w/Rings



|                 |     | Height |     |     |     |     |  |  |
|-----------------|-----|--------|-----|-----|-----|-----|--|--|
| Style           | 36" | 42"    | 48" | 54" | 60" | 72" |  |  |
| 0131R<br>convex | •   | •      | •   |     | •   |     |  |  |
| 1131R<br>convex | •   | •      | •   |     | •   | •   |  |  |
| 2131R<br>convex |     |        | •   | •   | •   | •   |  |  |

**4-Rail Convex** 



|                | Н   | eigl | nt  |
|----------------|-----|------|-----|
| Style          | 72" | 84"  | 96" |
| 0141<br>convex | •   |      |     |
| 2141<br>convex |     | •    | •   |

4-Rail Convex w/Rings




|                 | Height |     |     |  |
|-----------------|--------|-----|-----|--|
| Style           | 72"    | 84" | 96" |  |
| 0141R<br>convex | •      |     |     |  |
| 2141R<br>convex |        | •   | •   |  |


## ALTERNATING SPEAR TOP

Alternating Spear Top offers pressed point pickets in alternating heights providing an aesthetic appeal. Optional Finials are available in both Quad and Triad.


## **ALTERNATING SPEAR TOP STYLES**



|       |     | rieigiit |     |     |     |     |  |
|-------|-----|----------|-----|-----|-----|-----|--|
| Style | 36" | 42"      | 48" | 54" | 60" | 72" |  |
| 0132  | •   | •        | •   |     | •   |     |  |
| 1132  | •   | •        | •   |     | •   | •   |  |
| 2132  |     |          | •   | •   | •   | •   |  |



|       | Height |     |     |     |     |     |
|-------|--------|-----|-----|-----|-----|-----|
| Style | 36"    | 42" | 48" | 54" | 60" | 72" |
| 0132R | •      | •   | •   |     | •   |     |
| 1132R | •      | •   | •   |     | •   | •   |
| 2132R |        |     | •   | •   | •   | •   |



|       | - 11 | eigi | it. |  |
|-------|------|------|-----|--|
| Style | 72"  | 84"  | 96" |  |
| 0142  | •    |      |     |  |
| 2142  |      | •    | •   |  |
|       |      |      |     |  |



|       | Height |     |     |  |
|-------|--------|-----|-----|--|
| Style | 72"    | 84" | 96" |  |
| 0142R | •      |     |     |  |
| 2142R |        | •   | •   |  |






## FLATTOP ALTERNATING SPEAR

Flat Top Alternating
Spear offers a
modern design by
combining the safety
of a smooth top rail
with the traditional
alternating spears
between the top and
mid rail.

## FLAT TOP ALTERNATING SPEAR STYLES



|       | neigiit |     |     |     |     |  |
|-------|---------|-----|-----|-----|-----|--|
| Style | 36"     | 42" | 48" | 60" | 72" |  |
| 0233  | •       | •   | •   | •   |     |  |
| 1233  | •       | •   | •   | •   | •   |  |
| 2233  |         |     | •   | •   | •   |  |



|           | Hei | ght |
|-----------|-----|-----|
| Style     | 54" | 55" |
| 0233 Pool |     | •   |
| 1233 Pool |     | •   |
| 2233 Pool | •   |     |



|         | Height |
|---------|--------|
| Style   | 48"    |
| 0233 FB | •      |
| 1233 FB | •      |




|       | Height |     |     |  |
|-------|--------|-----|-----|--|
| Style | 72"    | 84" | 96" |  |
| 0243  | •      |     |     |  |
| 2243  |        | •   | •   |  |






# FLAT TOP

Perfect for around a pool, the classic Flat Top offers clean simple lines in 2, 3 or 4 rail designs. Double Picket and Ring styles are available to add definition to your space.



## **FLAT TOP STYLES**



Haiaht

|           | пеі | gni |
|-----------|-----|-----|
| Style     | 48" | 54" |
| 0220 Pool | •   |     |
| 1220 Pool | •   | •   |
| 2220 Pool |     | •   |



|       | neignt |     |     |     |     |  |
|-------|--------|-----|-----|-----|-----|--|
| Style | 36"    | 42" | 48" | 60" | 72" |  |
| 0230  | •      | •   | •   | •   |     |  |
| 1230  | •      | •   | •   | •   | •   |  |
| 2230  |        |     | •   | •   | •   |  |




|           | Height |     |  |  |
|-----------|--------|-----|--|--|
| Style     | 54"    | 55" |  |  |
| 0230 Pool |        | •   |  |  |
| 1230 Pool |        | •   |  |  |
| 2230 Pool | •      |     |  |  |



|         | Height |     |  |
|---------|--------|-----|--|
| Style   | 48"    | 60" |  |
| 0230 FB | •      | •   |  |
| 1230 FB | •      | •   |  |


## 3-Rail Double Pickets to Mid-Rail




|                           | Height |
|---------------------------|--------|
| Style                     | 48"    |
| 0230 Dbl Pkts to Mid-Rail | •      |
| 1230 Dbl Pkts to Mid-Rail | •      |



|       | Height |     |     |     |     |
|-------|--------|-----|-----|-----|-----|
| Style | 36"    | 42" | 48" | 60" | 72" |
| 0230R | •      | •   | •   | •   |     |
| 1230R | •      | •   | •   | •   | •   |
| 2230R |        |     | •   | •   | •   |



|            | Hei | ght |
|------------|-----|-----|
| Style      | 54" | 55" |
| 0230R Pool |     | •   |
| 1230R Pool | •   |     |
| 2230R Pool | •   |     |





|          | Hei | ght |
|----------|-----|-----|
| Style    | 48" | 60" |
| 0230R FB | •   | •   |
| 1230R FB | •   | •   |
|          |     |     |

### 4-Rail



|       | Height |     |     |  |  |
|-------|--------|-----|-----|--|--|
| Style | 72"    | 84" | 96" |  |  |
| 0240  | •      |     |     |  |  |
| 2240  |        | •   | •   |  |  |

## 4-Rail w/Rings



|       | Height |     |     |  |  |
|-------|--------|-----|-----|--|--|
| Style | 72"    | 84" | 96" |  |  |
| 0240R | •      |     |     |  |  |
| 2240R |        | •   | •   |  |  |

## **QUICKSHIP>**

Some CourtYard® Fence styles are available in our Quick Ship Program. This means faster delivery from all four DSI plant locations.

#### **Black Fine Texture & Bronze Fine Texture Only**

#### **Hundred Series:**

### • 0220 48" Height

- 0230 48" Height
- 0230 55" Height

#### 1000 Series:

- 1220 48" Height
- 1230 48" Height
- 1230 55" Height

See the Quick Ship Program Flyer for additional details.

## CATES AND HARDWARE

CourtYard® Gates are available in the same styles and heights as the fencing. Whether you are looking for a gate that blends in or stands out, options like Arching and Rings allow you to create the perfect gate for your fence.



## 1 1

## **WALK GATES**

#### **Standard**

36" - 48" Single Gate Openings 72" - 96" Double Gate Openings



#### **Arched**

36" - 48" Single Gate Openings 72" - 96" Double Gate Openings



#### Standard w/Bracing

60" - 72" Single Gate Openings 120" - 144" Double Gate Openings



#### Arched w/Bracing

60" - 72" Single Cate Openings 120" - 144" Double Cate Openings



Gates with Short Picket Option may be made with V bracing.

## Pool w/Corner Bracing

60" - 72" Single Gate Openings 120" - 144" Double Gate Openings



## Arched Pool w/Corner Bracing

60" - 72" Single Gate Openings 120" - 144" Double Gate Openings



#### **U-Frame**

36" - 72" Single Gate Openings 72" - 144" Double Gate Openings




#### **Arched U-Frame**

36" - 72" Single Gate Openings 72" - 144" Double Gate Openings



#### 1000 Series Gates with Rings

Standard



Perfect Fit (widths change see charts below)



#### 1131R & 1230R - "Perfect Fit" Gates

| Gate<br>Sizes | # of<br>Pickets | # of<br>Rings | Actual<br>Width | Actual<br>Opening |
|---------------|-----------------|---------------|-----------------|-------------------|
| 36"Wide       | 6               | 7             | 33"             | 34-1/2"           |
| 42"Wide       | 8               | 9             | 41-3/4"         | 43-1/4"           |
| 48"Wide       | 9               | 10            | 46-3/16"        | 47-11/16"         |
| 60"Wide       | 12              | 13            | 59-3/8"         | 60-7/8"           |
| 72"Wide       | 14              | 15            | 68-1/8"         | 69-5/8"           |
| 72"Wide       | 15              | 16            | 72-1/2"         | 74"               |

#### 1132R - "Perfect Fit" Gates

| Gate<br>Sizes | # of<br>Pickets | # of<br>Rings | Actual<br>Width | Actual<br>Opening |
|---------------|-----------------|---------------|-----------------|-------------------|
| 36"Wide       | 7               | 8             | 37-3/8"         | 38-7/8"           |
| 42"Wide       | 7               | 8             | 37-3/8"         | 38-7/8"           |
| 48"Wide       | 9               | 10            | 46-3/16"        | 47-11/16"         |
| 60"Wide       | 11              | 12            | 55"             | 56-1/2"           |
| 72"Wide       | 13              | 14            | 63-3/4"         | 65-1/4"           |
| 72"Wide       | 15              | 16            | 72-1/2"         | 74"               |

#### 1131R - "Standard" Gates

| Gate<br>Sizes | # of<br>Pickets | # of<br>Rings | Actual<br>Width | Actual<br>Opening | Approx.<br>End Space |
|---------------|-----------------|---------------|-----------------|-------------------|----------------------|
| 36"Wide       | 7               | 6             | 34-1/2"         | 36"               | 2-3/16"              |
| 42"Wide       | 8               | 7             | 40-1/2"         | 42"               | 3"                   |
| 48"Wide       | 10              | 9             | 46-1/2"         | 48"               | 1-9/16"              |
| 60"Wide       | 12              | 11            | 58-1/2"         | 60"               | 3-3/16"              |
| 72"Wide       | 15              | 14            | 70-1/2"         | 72"               | 2-9/16"              |


#### 1132R - "Standard" Gates

| Gate<br>Sizes | # of<br>Pickets | # of<br>Rings | Actual<br>Width | Actual<br>Opening | Approx.<br>End Space |
|---------------|-----------------|---------------|-----------------|-------------------|----------------------|
| 36"Wide       | 7               | 6             | 34-1/2"         | 36"               | 2-3/16"              |
| 42"Wide       | 9               | 8             | 40-1/2"         | 42"               | 25/32"               |
| 48"Wide       | 9               | 8             | 46-1/2"         | 48"               | 3-25/32"             |
| 60"Wide       | 13              | 12            | 58-1/2"         | 60"               | 1″                   |
| 72"Wide       | 15              | 14            | 70-1/2"         | 72″               | 2-9/16"              |

### 1230R - "Standard" Gates

| Gate<br>Sizes | # of<br>Pickets | # of<br>Rings | Actual<br>Width | Actual<br>Opening | Approx.<br>End Space |
|---------------|-----------------|---------------|-----------------|-------------------|----------------------|
| 36"Wide       | 7               | 6             | 34-1/2"         | 36"               | 2-3/16"              |
| 42"Wide       | 8               | 7             | 40-1/2"         | 42"               | 3"                   |
| 48"Wide       | 10              | 9             | 46-1/2"         | 48"               | 1-9/16"              |
| 60"Wide       | 12              | 11            | 58-1/2"         | 60"               | 3-3/16"              |
| 72"Wide       | 15              | 14            | 70-1/2"         | 72"               | 2-9/16"              |

## **ENTRY GATES**




**Standard** 84" - 192" Single Gate Openings



Continuous Arch 168" - 384" Double Gate Openings



Arched 84" - 192" Single Gate Openings



**Designer Arch** 168" - 384" Double Gate Openings

Gate Openings over 12' Single and 24' Double include bracing.

## **HARDWARE**

## **HINGES**




Tru-Close Hinge



Kwik Fit Hinge



SS Med Duty Hinge



HD Adjustable Hinge For 2" Gate Sides

## **LATCHES**



Lokk Latch



Lokk Latch Deluxe



Lokk Latch Magnetic



Magna Latch Vertical Pull 6"



Magna Latch Top Pull 20-1/4"



SS Gravity Latch

Not all hinges and latches work for all gate configurations. For more information on gates and hardware visit our website diggerspecialties.com





## **ACCESSORIES**

## **POST CAPS**






Flat Cap 2", 2½", 4", 6"



Ball Cap 2", 21/2", 4'

## **POST MOUNTS** & FLAIRS



2" Post Mount (Includes Flair)



2½" Post Mount (Includes Flair)



Welded Plate Option



Post Flair (2-piece) 2", 21/2", 4", 6" For Welded Plate Option & Core Drilled Posts

## **MAGENA STAR**

Low Voltage and Solar Lights





Ornamental Low Voltage Downward Low Voltage Combo Low Voltage 2", 21/2", 4"



2", 21/2", 4"





Ornamental Low Voltage Voltage Side Light Tear Drop Side Light



Ornamental Solar Downward Solar 2", 21/2"



2", 21/2"

## **TOUCH UP PAINT**



## **SECTION MOUNTS**



Wall Mount Hundred, 1000, 2000 Series



Swivel Mount Hundred, 1000, 2000 Series

## **TOOLS**



**Hole Punch** 



Rail Remover (Set of 3)



**Post Routing** Template Kit






## **OPTIONS**



## **GOLD RINGS**




### **DOUBLE PUNCH**



Double Punch increases the racking angle.

See page 3 for details on racking.

### **SPECIAL LENGTH SECTION**





Hundred / 1000 Series:

- Per Foot Sections available from 2' to 6'
- $\cdot$  Per Inch\* Sections available from 24" to 72"
- 2000 Series:
- Per Foot Sections available from 2' to 8'
- Per Inch\* Sections available from 24" to 96"
- \*Ring and Arched Picket Top models not available in per inch sections.

Even spacing between pickets.

## PUPPY PICKETS (SHORT PICKETS)









Flat Top

Puppy Pickets (Short Pickets) go to the Mid-Rail for 36" & 42" heights.







Flat Top

Puppy Pickets (Short Pickets) are 20" tall with additional rail for heights 48" and above.









## **SPECIALTIES**

We put the "special" in Digger Specialties!

Let DSI help solve your unique installation challenges and design needs.

RADIUS SECTIONS



**STAIR STEP SECTIONS**WITH SPECIAL ROUTED POSTS




SPECIAL HEIGHT SECTIONS



SPECIAL RADIUS SECTIONS



TAPERED WELDED SECTIONS



SPECIAL PICKET
SPACING SECTIONS



**CUSTOM GATES** 







## DSI FAMILY OF PRODUCTS

















