









Whether you want to make your home impressive, comfortable, traditional, or distinctive - PolyRail® Vinyl Railing is designed with you in mind. PolyRail® Vinyl Railing offers a comfortable feel with a traditional look and features a wide range of styles, colors, and applications to enhance your vision. Just imagine the possibilities; after all, your home is your masterpiece.

### **TABLE OF CONTENTS**

Colour and Bounday Coating	
Colors and Powder Coating	I
Cardinal Vinyl Railing	2-3
Falcon Vinyl Railing	4-5
Raven Vinyl Railing	6-7
T-Bird Vinyl Railing	8-9
Hidden Screw Rail Mounts	10
Gates & Hardware	11
Standard Vinyl Posts	12
Post Mounts	13
"A" Series Decorative Vinyl Posts	14
Column Clad Vinyl Post Wraps	15
"B" Series Aluminum Posts	16
Continuous Handrail	17

### **COLORS**

### VINYL COLORS

DSI Vinyl Products are available in three colors. Our Mocha color is available for **select** products. Please see individual product pages for availability.



### **ALUMINUM COLORS**

DSI Aluminum Products are offered in 12 standard AAMA 2604 colors. Custom colors and AAMA 2605 colors are available by special order.

Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors.



### **EXCLUSIVE DSI POWDER COATING PROCESS**

DSI's aluminum Powder Coating offers an uncompromising quality created by state-of-the-art technology. Our system provides the highest quality powder coating on the market with a lifetime limited warranty giving you peace of mind in your investment.



The raw premiumgrade aluminum is inspected to be free of blemishes and is not exposed to the outdoor elements.



The product enters a heated acidic cleaning stage to remove extrusion debris and fabrication oils.



Clean: City water rinse Cleaner: Recycling reverse osmosis water rinse

Cleanest: Pure reverse

osmosis water rinse Sealer: Dried-in-place aluminum sealer



blast removes water drops from the pre-treated aluminum. A convection oven completes the dryoff process.

A 200 MPH air



Powder is applied with 18 automated and 2 manual spray guns. Compressed process air is dried to -35°F Dew Point for superior adhesion.



The powder coating is then bonded and adhered to the aluminum substrate in a 400 degree cure stage.





# CARD VINYL RAILING



### **CARDINAL RAILING**



**STANDARD BALUSTER** 7/8" x 1-1/2" Rectangular Vinyl 2-7/8" Baluster Spacing








"A" SERIES BALUSTER
7/8" x 1-1/2" Decorative Vinyl
2-7/8" Baluster Spacing

42" Balusters are Aluminum Reinforced

White

Tan



**"B" SERIES BALUSTER** 

3/4" Round Aluminum 3-7/8" Baluster Spacing See Page 1 for Baluster Colors

White

Tan

Continu Toma		Length									Height		Baluster Style		
Section Type	4′	5′	6′	7′	8′	9′	10′	12′	14′	16′	36"	42"	Std	Α	В
Straight	•	•	•	•	•	•	•				•	•	•	•	•
Stair	•	•	•	•	•	•	•				•	•	•	•	•
Crossover - Straight							•	•	•	•	•	•	•	•	•
Crossover - Stair					Not Av	ailable/					Not A	/ailable	No	t Availab	ole
Single Chippendale - Straight	•	•	•	•	•	•	•				•	•	•		
Double Chippendale - Straight				•	•	•	•				•	•	•		
Chippendale - Stair					Not Av	ailable /					Not A	/ailable	No	t Availab	ole







**DOUBLE CHIPPENDALE** 

Note: Railing Support included with all 8' - 10' sections. 16' Crossover Sections include two Railing Supports.





# FALC VINYL RAILING



### **FALCON RAILING**



**STANDARD BALUSTER** 1-3/8" x 1-3/8" Square Vinyl 3-1/2" Baluster Spacing









"A" SERIES BALUSTER
1-3/8" x 1-3/8" Decorative Vinyl
3-1/2" Baluster Spacing
42" Balusters are Aluminum Reinforced



Tan



**"B" SERIES BALUSTER** 3/4" Round Aluminum


3/4 Round Aluminum 3-7/8" Baluster Spacing See Page 1 for Baluster Colors

White


Tan

Mocha

Sostion Type		Length								Height		Baluster Style			
Section Type	4′	5′	6′	7′	8′	9′	10′	12′	14′	16′	36"	42"	Std	Α	В
Straight	•	•	•	•	•	•	•				•	•	•	•	•
Stair	•	•	•	•	•	•	•				•	•	•	•	•
Crossover - Straight							•	•	•	•	•	•	•	•	•
Crossover - Stair					Not Av	ailable					Not A	vailable	No	t Availab	ole
Single Chippendale - Straight	•	•	•	•	•	•	•				•	•	•		
Double Chippendale - Straight				•	•	•	•				•	•	•		
Chippendale - Stair					Not Av	vailable					Not A	vailable	No	t Availab	ole



CROSSOVER



SINGLE CHIPPENDALE

Note: Railing Support included with all 8' - 10' sections. 16' Crossover Sections include two Railing Supports.





### **RAVEN RAILING**



**STANDARD BALUSTER** 7/8" x 1-1/2" Rectangular Vinyl 2-7/8" Baluster Spacing







"A" SERIES BALUSTER
7/8" x 1-1/2" Decorative Vinyl
2-7/8" Baluster Spacing
42" Balusters are Aluminum Reinforced







**"B" SERIES BALUSTER**3/4" Round Aluminum

3/4" Round Aluminum 3-7/8" Baluster Spacing See Page 1 for Baluster Colors



Tan

Costion Type		Length									Height		Baluster Style		yle
Section Type	4′	5′	6′	7′	8′	9′	10′	12′	14′	16′	36"	42"	Std	Α	В
Straight	•	•	•	•	•	•	•				•	•	•	•	•
Stair	•	•	•	•	•	•	•				•	•	•	•	•
Crossover - Straight							•	•	•	•	•	•	•	•	•
Crossover - Stair		Not Available								Not Av	ailable	e Not Available			



### **CROSSOVER**

Note: Railing Support included with all 7' - 10' sections. 14' and 16' Crossover Sections include two Railing Supports.



# T-BRING



### **T-BIRD RAILING**



**STANDARD BALUSTER** 1-3/8" x 1-3/8" Square Vinyl 3-1/2" Baluster Spacing







"A" SERIES BALUSTER 1-3/8" x 1-3/8" Decorative Vinyl

3-1/2" Baluster Spacing 42" Balusters are Aluminum Reinforced








**"B" SERIES BALUSTER** 

3/4" Round Aluminum 3-7/8" Baluster Spacing See Page 1 for Baluster Colors



Tan

Saskian Tuna		Length									He	Height		uster St	yle
Section Type	4′	5′	6′	7′	8′	9′	10′	12′	14′	16′	36"	42"	Std	Α	В
Straight	•	•	•	•	•	•	•				•	•	•	•	•
Stair	•	•	•	•	•	•	•				•	•	•	•	•
Crossover - Straight							•	•	•	•	•	•	•	•	•
Crossover - Stair					Not Av	ailable					Not A	/ailable	No	t Availab	ole
Single Chippendale - Straight	•	•	•	•	•	•	•				•	•	•		
Double Chippendale - Straight				•	•	•	•				•	•	•		
Chippendale - Stair					Not Av	ailable					Not A	/ailable	No	t Availak	ole



**CROSSOVER** 



**DOUBLE CHIPPENDALE** 

Note: Railing Support included with all 8' - 10' sections. 16' Crossover Sections include two Railing Supports.

# **HIDDEN SCREW RAIL MOUNTS**

## STANDARD WALL MOUNTS:

1-4 pack is included inside each boxed railing section.

A 4 pack contains (2) top mounts, (2) bottom mounts, and screws.

#### CARDINAL



Top/Bottom Rail Mount

#### **FALCON**



Top Rail Mount



**Bottom Rail Mount** 

**RAVEN** 



Top Rail Mount



Top Rail Mount

T-BIRD



Bottom Rail Mount



**Bottom Rail Mount** 

## STANDARD STAIR MOUNTS:

1-4 pack is included inside each boxed stair railing section.

A 4 pack contains (2) top mounts, (2) bottom mounts, and screws.

For Stair Racking information visit polyrail.com



Top/Bottom Stair Mount



Top Stair Mount



**Bottom Stair Mount** 



Top Stair Mount (factory pre-cut)



Bottom Stair/ Angle Mount



Top Stair Mount



**Bottom Stair Mount** 

# OPTIONAL SPECIALTY MOUNTS:

These mounts are not included with boxed sections.

A 4 pack contains (2) top mounts, (2) bottom mounts, and screws.



Top/Bottom Angle Mount



Top/Bottom Angle Mount



Top Stair/ Angle Mount (uncut)



Bottom Stair/ Angle Mount



Top 45° Mount (factory pre-cut)



Bottom 45° Mount (factory pre-cut)



Top/Bottom Angle Mount



Top 45° Mount



Bottom 45° Mount





# **GATES** & HARDWARE

### **CARDINAL GATE**



**FALCON GATE** 



**RAVEN GATE** 





**T-BIRD GATE** 



Matching gates available for each style of railing • Aluminum Reinforced Frame Available in 36"W and 48"W openings • Special Width Gates Available Upon Request

Baluster Style	Gate Size (width x height)									
Dalustei Style	36" x 36"	48" x 36"	36" x 42"	48" x 42"						
Standard Baluster	•	•	•	•						
"A" Series Baluster	•	•	•	•						
"B" Series Baluster	•	•	•	•						

### **RESIDENTIAL HINGE**












### **RESIDENTIAL LATCH**



Mocha is available for **select** products. Please see individual product pages for availability.

# **STANDARD VINYL POSTS**

### VINYL POSTS



### **VINYL POST CAPS**









Flat Cap 4", 5", 6"

Trim Cap 4", 5"

Gothic Cap 4", 5"

Ball Cap 4", 5"

### **MAGENA STAR**

Magena Star Ornamental Low Voltage and Solar Lights. Visit *magenastar.com* for more information and to see additional styles.









Ornamental

Ornamental Low Voltage 4" Low Voltage 5"

Ornamental Solar 4"

Ornamental Solar 5"

### VINYL POST FLAIRS









4" Flair (1-piece) Use with IBC/IRC Post Mount and Sleeve

4" Flair (2-piece) Use with IBC/ IRC Post Mount and Sleeve

4" Snap Lock Flair (1 or 2 piece) Use with

Use with Square Support Posts Residential or Sleeves Post Mount and Sleeve


5" Flair 6" Decorative (1-piece) Flair (1-piece)

### VINYL POSTS SPECIFICATIONS

	4" Post Sleeve	5" Post Sleeve	5" Support Post	6" Post Sleeve
Heights	38", 44", 48", 54" 8', 9', 10'	38", 44", 48", 54" 8', 9', 10'	8′, 9′, 10′	38", 44", 48", 54" 10'
Load Capacity	Non-Load Bearing w/o Wood Post	Non-Load Bearing w/o Wood Post	8' = 12,000 lb.	Non-Load Bearing w/o Wood Post

# **POST MOUNTS**

# 4" RESIDENTIAL ADJUSTABLE ALUMINUM POST MOUNTS





Top View

Powder coated base plates resist corrosion and ACQ wood treatment.



Angle Adjustment Leveling Bolts



# TOP AND BOTTOM POST MOUNTS



5" Top & Bottom Hurricane Mount Set (Included with all 5" Square Support Posts)



Optional 4" Top and Bottom Post Mount Plates



### 4" IBC AND IRC POST MOUNTS

# IBC (HEAVY DUTY) POST MOUNTS:

- IBC Approved
- 3.62" Tube
- .060" Wall
- ½" x 5½" square plate with 8 fasteners
- Shims and leveling bolts included





### Top View



43" IBC Post Mount Available in 37", 43", 47" & 53" lengths 37" IRC Post Mount Available in 37", 43", 47" & 53" lengths

Requires 4" (.135" Wall) Post Sleeve Note: 5" and 6" Post Mounts available. Contact Customer Service for information.

# IRC (STANDARD) POST MOUNTS:


- IRC Approved
- 3.62" Tube
- .060" Wall
- ¼" x 5½" square plate with 4 fasteners
- Shims and leveling bolts included





# "A" SERIES DECORATIVE VINYL POSTS

### **POSTS**



### CAP



"A" Series Decorative Post Caps are Easily Attached with Vinyl Adhesive

Cap is Included with Post

### **FLAIRS**







4" Flair (2-piece) Use with IBC/IRC Post Mount



4" Snap

Lock Flair (1 or 2 piece) Use with Residential Post Mount



5"
Decorative
Flair
Use with
Decorative

Support Posts

### **SUPPORT POST MOUNTS**



4" Top & Bottom Post Mount Plates (Included with all 4" "A" Series Support Posts)



5" Top & Bottom Post Mount Plate Set (Included with all 5" Decorative Support Posts)



Optional 5" Top & Bottom Hurricane Mount Sets are Tested for High Wind Loads for 5" "A" Series Post

### **SPECIFICATIONS**

	4" "A" Series Post	4" "A" Series Support Post	5" "A" Series Support Post	5" Victorian Support Post
Heights	38", 44", 48", 52"	9′	9′, 10′	9′
Load Capacity	Non-Load Bearing w/o Aluminum Post Mount	3,900 lb.	9′ = 7,520 lb.	9′ = 7,520 lb.

# COLUMN CLAD VINYL POST WRAPS

### **STYLES**

The Wood Post Supplies Load Capacity



Ratchets to Lock Together



Wraps Around the Wood Post -No Screws Needed





Fluted (Special Order)

### **CAP**



Column Clad Cap 4", 6"

### **FLAIR**



Column Clad Flair (4-piece) 4", 6", 8"

### **SPECIFICATIONS**

	4" Smooth	6" Smooth	4" Fluted	6" Fluted	8" Fluted
	Column Clad	Column Clad	Column Clad	Column Clad	Column Clad
Heights	8'6", 10'	8'6", 10'	8'6", 10' (Special Order)	8'6", 10' (Special Order)	10' (Special Order)
Load Capacity	Non-Load Bearing	Non-Load Bearing	Non-Load Bearing	Non-Load Bearing	Non-Load Bearing
	w/o Wood Post	w/o Wood Post	w/o Wood Post	w/o Wood Post	w/o Wood Post

# "B" SERIES ALUMINUM POSTS

### See Page 1 for Color Options

### **POSTS** 4" Post 4" Post 6" Post 4" w/Plate w/Plate Sleeve Support Support (.065" (.090" (.090" Post Post wall) wall) (.090" (.090" wall) wall) wall)

### **CAPS**



### **FLAIRS**



Post Flair (2-piece) 4" & 6"

### **TIE DOWN BRACKET**



Tie Down Bracket with Cover (Set of 2) Installation Instructions Require 2 Sets per Support Post


### **SPECIFICATIONS**

	4" "B" Series Post Sleeve	4" "B" Series Post w/Plate	6" "B" Series Post w/Plate	4" "B" Series Support Post	6" "B" Series Support Post
Heights	38", 44", 48", 54"	38", 44", 48", 54"	38", 44", 48", 54"	8′, 9′, 10′	8′, 9′, 10′
Actual ASD Load Bearing Capacity	Non-Load Bearing w/o Wood Post	Non-Load Bearing	Non-Load Bearing	8' = 13,531 lb. 9' = 12,751 lb. 10' = 11,970 lb.	8' = 16,543 lb. 9' = 16,543 lb. 10' = 16,543 lb.




### **ADA COMPLIANT HANDRAIL**


A variety of rail lengths and accessories complete this system.
Available in 8', 10', & 16' Rail Lengths.
Available in all the colors shown on page 1.



### **STAIR APPLICATION**



### **DECK APPLICATION**





Inside Corner Mount & 90° Elbow Detail



Extended Wall Mount Detail



90° Welded Elbow Detail



























# **DSI FAMILY** OF PRODUCTS



















